

LCA overview

Product: NOLI bike rack, CC500

Scope: A1, A2, A3. GWP = Global Warming Potential

ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards.

The results follow EN 15804+A2.

E = single-sided, D = double-sided, S = angled, V = wall mounted



Product name	Description	Declared unit	Bolting (Bollard Ø89)	Embedding (Bollard Ø89)	Mass of declared unit (kg)	GWP-fossil, A1-A3 (kg CO <sub>2</sub> e)	GWP-total, A1-A3 (kg CO <sub>2</sub> e)
NOLI D, 10 spaces	Hot-dip galvanised steel	1 unit of bike rack	✓		58,92	83,5	82,7
NOLI D, 10 spaces	Hot-dip galvanised steel	1 unit of bike rack		✓	59,55	85,5	84,8
NOLI DS, 10 spaces	Hot-dip galvanised steel	1 unit of bike rack	✓		58,92	83,5	82,7
NOLI DS, 10 spaces	Hot-dip galvanised steel	1 unit of bike rack		✓	59,55	85,5	84,8
NOLI D, 6 spaces	Hot-dip galvanised steel	1 unit of bike rack	✓		40,24	66	64,9
NOLI D, 6 spaces	Hot-dip galvanised steel	1 unit of bike rack		✓	40,87	68	67
NOLI D, 8 spaces	Hot-dip galvanised steel	1 unit of bike rack	✓		49,58	74,8	73,8
NOLI D, 8 spaces	Hot-dip galvanised steel	1 unit of bike rack		✓	50,21	76,8	75,9
NOLI E, 3 spaces	Hot-dip galvanised steel	1 unit of bike rack	✓		29,96	59,9	58,6
NOLI E, 3 spaces	Hot-dip galvanised steel	1 unit of bike rack		✓	30,55	61,8	60,6
NOLI ES, 3 spaces	Hot-dip galvanised steel	1 unit of bike rack	✓		29,96	59,9	58,6
NOLI ES, 3 spaces	Hot-dip galvanised steel	1 unit of bike rack		✓	30,55	61,8	60,6
NOLI E, 4 spaces	Hot-dip galvanised steel	1 unit of bike rack	✓		35,24	65,4	64,2
NOLI E, 4 spaces	Hot-dip galvanised steel	1 unit of bike rack		✓	35,24	67,4	66,3
NOLI ES, 4 spaces	Hot-dip galvanised steel	1 unit of bike rack	✓		35,24	65,4	64,2
NOLI ES, 4 spaces	Hot-dip galvanised steel	1 unit of bike rack		✓	35,24	67,4	66,3
NOLI E, 5 spaces	Hot-dip galvanised steel	1 unit of bike rack	✓		41	71,9	70,7
NOLI E, 5 spaces	Hot-dip galvanised steel	1 unit of bike rack		✓	41,62	73,8	72,7
NOLI ES, 5 spaces	Hot-dip galvanised steel	1 unit of bike rack	✓		41	71,9	70,7
NOLI ES, 5 spaces	Hot-dip galvanised steel	1 unit of bike rack		✓	41,62	73,8	72,7
NOLI E, 6 spaces	Hot-dip galvanised steel	1 unit of bike rack	✓		46,75	78,3	77,2
NOLI E, 6 spaces	Hot-dip galvanised steel	1 unit of bike rack		✓	47,38	80,3	79,3
NOLI ES, 6 spaces	Hot-dip galvanised steel	1 unit of bike rack	✓		46,75	78,3	77,2
NOLI ES, 6 spaces	Hot-dip galvanised steel	1 unit of bike rack		✓	47,38	80,3	79,3
NOLI VES, 1 space	Hot-dip galvanised steel. Wall mount.	1 unit of bike rack	✓		4,31	12,9	12,7
NOLI VE, 1 space	Hot-dip galvanised steel. Wall mount.	1 unit of bike rack	✓		4,31	12,9	12,7
NOLI D, 10 spaces	Hot-dip galvanised steel + RAL	1 unit of bike rack	✓		61,28	106	105
NOLI D, 10 spaces	Hot-dip galvanised steel + RAL	1 unit of bike rack		✓	61,93	109	108
NOLI D, 6 spaces	Hot-dip galvanised steel + RAL	1 unit of bike rack	✓		41,85	84	82,7
NOLI D, 6 spaces	Hot-dip galvanised steel + RAL	1 unit of bike rack		✓	42,5	86,6	85,3
NOLI D, 8 spaces	Hot-dip galvanised steel + RAL	1 unit of bike rack	✓		51,56	95,1	93,9
NOLI D, 8 spaces	Hot-dip galvanised steel + RAL	1 unit of bike rack		✓	52,22	97,9	96,6
NOLI DS, 10 spaces	Hot-dip galvanised steel + RAL	1 unit of bike rack	✓		61,28	106	105
NOLI DS, 10 spaces	Hot-dip galvanised steel + RAL	1 unit of bike rack		✓	61,93	109	108
NOLI DS, 6 spaces	Hot-dip galvanised steel + RAL	1 unit of bike rack	✓		41,85	84	82,7

LCA overview

Product: NOLI bike rack, CC500

Scope: A1, A2, A3. GWP = Global Warming Potential

ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards.

The results follow EN 15804+A2.

E = single-sided, D = double-sided, S = angled, V = wall mounted



Product name	Description	Declared unit	Bolting (Bollard Ø89)	Embedding (Bollard Ø89)	Mass of declared unit (kg)	GWP-fossil, A1-A3 (kg CO <sub>2</sub> e)	GWP-total, A1-A3 (kg CO <sub>2</sub> e)
NOLI DS, 6 spaces	Hot-dip galvanised steel + RAL	1 unit of bike rack		✓	42,5	86,6	85,3
NOLI DS, 8 spaces	Hot-dip galvanised steel + RAL	1 unit of bike rack	✓		51,56	95,1	93,9
NOLI DS, 8 spaces	Hot-dip galvanised steel + RAL	1 unit of bike rack		✓	52,22	97,9	96,6
NOLI E, 3 spaces	Hot-dip galvanised steel + RAL	1 unit of bike rack	✓		31,16	75,3	73,9
NOLI E, 3 spaces	Hot-dip galvanised steel + RAL	1 unit of bike rack		✓	31,77	77,7	76,3
NOLI E, 4 spaces	Hot-dip galvanised steel + RAL	1 unit of bike rack	✓		36,65	82,2	80,8
NOLI E, 4 spaces	Hot-dip galvanised steel + RAL	1 unit of bike rack		✓	37,3	84,3	82,9
NOLI E, 5 spaces	Hot-dip galvanised steel + RAL	1 unit of bike rack	✓		42,64	90,5	89,1
NOLI E, 5 spaces	Hot-dip galvanised steel + RAL	1 unit of bike rack		✓	43,28	92,6	91,3
NOLI E, 6 spaces	Hot-dip galvanised steel + RAL	1 unit of bike rack	✓		48,62	98,4	97,1
NOLI E, 6 spaces	Hot-dip galvanised steel + RAL	1 unit of bike rack		✓	49,28	101	99,3
NOLI ES, 3 spaces	Hot-dip galvanised steel + RAL	1 unit of bike rack	✓		31,16	75,3	73,9
NOLI ES, 3 spaces	Hot-dip galvanised steel + RAL	1 unit of bike rack		✓	31,77	77,7	76,3
NOLI ES, 4 spaces	Hot-dip galvanised steel + RAL	1 unit of bike rack	✓		36,65	82,2	80,8
NOLI ES, 4 spaces	Hot-dip galvanised steel + RAL	1 unit of bike rack		✓	37,3	84,3	82,9
NOLI ES, 5 spaces	Hot-dip galvanised steel + RAL	1 unit of bike rack	✓		42,64	90,5	89,1
NOLI ES, 5 spaces	Hot-dip galvanised steel + RAL	1 unit of bike rack		✓	43,28	92,6	91,3
NOLI ES, 6 spaces	Hot-dip galvanised steel + RAL	1 unit of bike rack	✓		48,62	98,4	97,1
NOLI ES, 6 spaces	Hot-dip galvanised steel + RAL	1 unit of bike rack		✓	49,28	101	99,3
NOLI VES, 1 space	Hot-dip galvanised steel + RAL, Wall mount.	1 unit of bike rack	✓		4,48	21,9	21,7
NOLI VE, 1 space	Hot-dip galvanised steel + RAL, Wall mount.	1 unit of bike rack	✓		4,48	21,9	21,7